



## MagnaTrans® Fixer LT

### Low temperature fixer for MagnaTrans Transfer Inks

**MagnaTrans® Fixer LT** is a high strength crosslinker used to considerably reduce the time or temperature of curing inks. Perfect for prints or films that require curing at 100 °C (212 °F) or lower.

**MagnaTrans Fixer LT** is ideal when printing digital transfers and a lower temperature cure is required to maintain colours and PET Film stability.

**MagnaTrans Fixer LT** increases the durability of MagnaTrans products, offering a high durable finish to applied transfer prints.

#### Application

**MagnaTrans Fixer LT** can be used at varying concentrations, but as a general rule 5 – 20g/kg is sufficient (0.5 - 2%). Trials should be carried under specific printing conditions to arrive at the correct addition level.

Once added to a print paste, **MagnaTrans Fixer LT** will remain active for a maximum of 4-5 hours, depending on room temperature.

Cure for 60 seconds at 100 °C (212 °F). MagnaTrans Fixer LT can be cured at lower temperatures, we recommend fastness tests to be carried for your specific time and temperature. Optimum fastness will not be achieved for approximately 48 hours.

#### SPECIFICATION



**CURE TEMPERATURE**  
100 °C (212 °F) time dependent on curing temperature.



**STORAGE**  
In cool place properly closed: >5°C (40°F) <25°C (77°F)



**HEALTH & SAFETY**  
MSDS available upon request



**CLEAN UP**  
Wash off screen using water and mild detergent

All information is given in good faith but without warranty. They do not release you from testing our products as to their suitability for the intended processes and uses.